PSI LABS
PSI Labs California
181 W. Huntington Dr.
Monrovia, CA 91016
(855) 734-6640
/www.psilabs.org/
Lic# C8-0000022-LIC

CBDV 3000mg #3282

Lab ID: 132124-673-MH-2

METRC Batch: METRC Sample
Sample ID: 2204PHS0718.4497
Strain: CBDV 3000MG #3282
Matrix: Ingestible
Type: Tincture
Sample Size:;1oz

Produced:
Collected:
Received: 02/23/2023
Completed: 02/23/2023
Batch: 3282

Cannabinoids

Complete

ND mg/ml	ND mg/ml	104.186 mg/ml
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	%	mg/ml
THCa	0.01	0.01	ND	ND
Δ9-THC	0.01	0.01	ND	ND
Δ8-THC	0.01	0.01	ND	ND
THCVa	0.01	0.10	ND	ND
THCV	0.01	0.10	ND	ND
THCo	0.03	0.10	ND	ND
CBDa	0.01	0.01	ND	ND
CBD	0.01	0.01	ND	ND
CBDVa	0.01	0.10	ND	ND
CBDV	0.01	0.10	10.419	104.186
CBN	0.01	0.10	ND	ND
CBGa	0.01	0.10	ND	ND
CBG	0.01	0.10	ND	ND
CBC	0.01	0.10	ND	ND
Exo-THC	0.01	0.10	ND	ND
(6aR,9S)-d10-THC	0.01	0.01	ND	ND
(6aR,9R)-d10-THC	0.01	0.01	ND	ND
Total THC			**ND**	**ND**
Total CBD			**ND**	**ND**
Total			**10.419**	**104.186**

Notes:

Total THC = (THCa * 0.877) + Δ9-THC; Total CBD = (CBDa * 0.877) + CBD
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717

Raquel Keledjian
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

PSI LABS
PSI Labs California
181 W. Huntington Dr.
Monrovia, CA 91016
(855) 734-6640
/www.psilabs.org/
Lic# C8-0000022-LIC

CBDV 3000mg #3282

Lab ID: 132124-673-MH-2

METRC Batch: METRC Sample
Sample ID: 2204PHS0718.4497
Strain: CBDV 3000MG #3282
Matrix: Ingestible
Type: Tincture
Sample Size:;1oz

Produced:
Collected:
Received: 02/23/2023
Completed: 02/23/2023
Batch: 3282

Terpenes

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/g	%
1,8-Cineole	0.42	1.25	ND	ND
α-Bisabolol	0.17	0.50	ND	ND
α-Humulene	0.42	1.25	ND	ND
α-Pinene	0.42	1.25	ND	ND
α-Terpinene	0.42	1.25	ND	ND
β-Caryophyllene	0.42	1.25	ND	ND
β-Myrcene	0.42	1.25	ND	ND
β-Ocimene	0.42	1.25	ND	ND
β-Pinene	0.42	1.25	ND	ND
Camphene	0.42	1.25	ND	ND
Camphor	0.42	1.25	ND	ND
cis-Nerolidol	0.13	0.39	ND	ND
δ-3-Carene	0.42	1.25	ND	ND
δ-Limonene	0.42	1.25	ND	ND
γ-Terpinene	0.42	1.25	ND	ND
Guaiol	0.17	0.50	ND	ND
Isopulegol	0.42	1.25	ND	ND
Linalool	0.42	1.25	ND	ND
p-Cymene	0.42	1.25	ND	ND
Terpinolene	0.42	1.25	ND	ND
trans-Nerolidol	0.25	0.76	ND	ND
Total			**0.00**	**0**

Primary Aromas

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by GC-FID, SOP 6.02, 16 CCR §5725

Raquel Keledjian
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

pH SOLUTIONS
NOW A PART OF PSI LABS
pH Solutions
181 W. Huntington Dr.
Monrovia, CA 91016
(855) 734-6640
/www.phs-lab.com/
Lic# C8-0000022-LIC

CBDV 3000mg #3282

Lab ID: 132124-673-MH-2

METRC Batch: METRC Sample
Sample ID: 2204PHS0718.4497
Strain: CBDV 3000MG #3282
Matrix: Ingestible
Type: Tincture
Sample Size:;1oz

Produced:
Collected:
Received: 02/23/2023
Completed: 02/23/2023
Batch: 3282

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	PPM	PPM	PPM	µg/g			PPM	PPM	PPM	µg/g	
Abamectin	0.010	0.020	0.100	ND	Pass	Fludioxonil	0.010	0.020	0.100	ND	Pass
Acephate	0.010	0.020	0.100	ND	Pass	Hexythiazox	0.010	0.020	0.100	ND	Pass
Acequinocyl	0.010	0.020	0.100	ND	Pass	Imazalil	0.010	0.020	0.010	ND	Pass
Acetamiprid	0.010	0.020	0.100	ND	Pass	Imidacloprid	0.010	0.020	5.000	ND	Pass
Aldicarb	0.010	0.020	0.010	ND	Pass	Kresoxim Methyl	0.010	0.020	0.100	ND	Pass
Azoxystrobin	0.010	0.020	0.100	ND	Pass	Malathion	0.010	0.020	0.500	ND	Pass
Bifenazate	0.010	0.020	0.100	ND	Pass	Metalaxyl	0.010	0.020	2.000	ND	Pass
Bifenthrin	0.010	0.020	3.000	ND	Pass	Methiocarb	0.010	0.020	0.010	ND	Pass
Boscalid	0.010	0.020	0.100	ND	Pass	Methomyl	0.010	0.020	1.000	ND	Pass
Captan	0.010	0.020	0.700	ND	Pass	Mevinphos	0.010	0.020	0.010	ND	Pass
Carbaryl	0.010	0.020	0.500	ND	Pass	Myclobutanil	0.010	0.020	0.100	ND	Pass
Carbofuran	0.010	0.020	0.010	ND	Pass	Naled	0.010	0.020	0.100	ND	Pass
Chlorantraniliprole	0.010	0.020	10.000	ND	Pass	Oxamyl	0.010	0.020	0.500	ND	Pass
Chlordane	0.010	0.020	0.010	ND	Pass	Paclobutrazol	0.010	0.020	0.010	ND	Pass
Chlorfenapyr	0.020	0.100	0.020	ND	Pass	Parathion Methyl	0.010	0.020	0.010	ND	Pass
Chlorpyrifos	0.010	0.020	0.010	ND	Pass	Pentachloronitrobenzene	0.010	0.020	0.100	ND	Pass
Clofentezine	0.010	0.020	0.100	ND	Pass	Permethrin	0.010	0.020	0.500	ND	Pass
Coumaphos	0.010	0.020	0.010	ND	Pass	Phosmet	0.010	0.020	0.100	ND	Pass
Cyfluthrin	0.020	0.020	2.000	ND	Pass	Piperonyl Butoxide	0.010	0.020	3.000	ND	Pass
Cypermethrin	0.010	0.100	1.000	ND	Pass	Prallethrin	0.010	0.020	0.100	ND	Pass
Daminozide	0.010	0.020	0.010	ND	Pass	Propiconazole	0.010	0.020	0.100	ND	Pass
Diazinon	0.010	0.020	0.100	ND	Pass	Propoxur	0.010	0.020	0.010	ND	Pass
Dichlorvos	0.010	0.020	0.010	ND	Pass	Pyrethrins	0.010	0.020	0.500	ND	Pass
Dimethoate	0.010	0.020	0.010	ND	Pass	Pyridaben	0.010	0.020	0.100	ND	Pass
Dimethomorph	0.010	0.020	2.000	ND	Pass	Spinetoram	0.010	0.020	0.100	ND	Pass
Ethoprophos	0.010	0.020	0.010	ND	Pass	Spinosad	0.010	0.020	0.100	ND	Pass
Etofenprox	0.010	0.020	0.010	ND	Pass	Spiromesifen	0.010	0.020	0.100	ND	Pass
Etoxazole	0.010	0.020	0.100	ND	Pass	Spirotetramat	0.010	0.020	0.100	ND	Pass
Fenhexamid	0.010	0.020	0.100	ND	Pass	Spiroxamine	0.010	0.020	0.010	ND	Pass
Fenoxycarb	0.010	0.020	0.010	ND	Pass	Tebuconazole	0.010	0.020	0.100	ND	Pass
Fenpyroximate	0.010	0.020	0.100	ND	Pass	Thiacloprid	0.010	0.020	0.010	ND	Pass
Fipronil	0.010	0.020	0.010	ND	Pass	Thiamethoxam	0.010	0.020	5.000	ND	Pass
Flonicamid	0.010	0.020	0.100	ND	Pass	Trifloxystrobin	0.010	0.020	0.100	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Pesticide detection is determined by LCMS & GCMS, SOP 6.03 & 6.04, 16 CCR § 5719.

THE EMERALD TEST PESTICIDE SCREENING pH Solutions

Raquel Keledjian
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

pH SOLUTIONS
NOW A PART OF PSI LABS
pH Solutions
181 W. Huntington Dr.
Monrovia, CA 91016
(855) 734-6640
/www.phs-lab.com/
Lic# C8-0000022-LIC

CBDV 3000mg #3282

Lab ID: 132124-673-MH-2

METRC Batch: METRC Sample
Sample ID: 2204PHS0718.4497
Strain: CBDV 3000MG #3282
Matrix: Ingestible
Type: Tincture
Sample Size:;1oz

Produced:
Collected:
Received: 02/23/2023
Completed: 02/23/2023
Batch: 3282

Microbials

Pass

Analyte	Results	Status	Analyte	Results	Status
Aspergillus flavus	Not Detected in 1g	Pass	Aspergillus terreus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass	E. Coli	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass	Salmonella SPP	Not Detected in 1g	Pass

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by qPCR, SOP 6.05, 16 CCR §5720

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.001	0.005	4	ND	Pass
B2	0.001	0.005	4	ND	Pass
G1	0.001	0.005	4	ND	Pass
G2	0.001	0.005	4	ND	Pass
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.005	0.02	4	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by LCMS, SOP 6.03 & 6.04, 16 CCR §5721

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0167	0.05	0.2	ND	Pass
Cadmium	0.0167	0.05	0.2	ND	Pass
Lead	0.0167	0.05	0.5	ND	Pass
Mercury	0.0167	0.05	0.1	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by ICPMS SOP 6.06, 16 CCR § 5723

Raquel Keledjian
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

pH SOLUTIONS NOW A PART OF PSI LABS
pH Solutions
181 W. Huntington Dr.
Monrovia, CA 91016
(855) 734-6640
/www.phs-lab.com/
Lic# C8-0000022-LIC

CBDV 3000mg #3282

Lab ID: 132124-673-MH-2

METRC Batch: METRC Sample
Sample ID: 2204PHS0718.4497
Strain: CBDV 3000MG #3282
Matrix: Ingestible
Type: Tincture
Sample Size:;1oz

Produced:
Collected:
Received: 02/23/2023
Completed: 02/23/2023
Batch: 3282

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.33	1	1	ND	Pass
Acetone	0.33	1	5000	ND	Pass
Acetonitrile	0.33	1	410	ND	Pass
Benzene	0.33	1	1	ND	Pass
Butane	0.33	1	5000	ND	Pass
Chloroform	0.33	1	1	ND	Pass
Ethanol	0.33	1	5000	ND	Pass
Ethyl-Acetate	0.33	1	5000	ND	Pass
Ethyl-Ether	0.33	1	5000	ND	Pass
Ethylene Oxide	0.33	1	1	ND	Pass
Heptane	0.33	1	5000	ND	Pass
Isopropanol	0.33	1	5000	ND	Pass
Methanol	0.33	1	3000	ND	Pass
Methylene-Chloride	0.33	1	1	ND	Pass
n-Hexane	0.33	1	290	ND	Pass
Pentane	0.33	1	5000	ND	Pass
Propane	0.33	1	5000	ND	Pass
Toluene	0.33	1	890	ND	Pass
Trichloroethene	0.33	1	1	ND	Pass
Xylenes	0.33	1	2170	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by GCMS, SOP 6.01 CCR §5718

Raquel Keledjian
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian